

CLAIMS

1. A method for authorizing access by remote entities to logical units provided by a mass storage device comprising:

providing an access table that includes entries that each represents authorization of a particular remote entity to access a particular logical unit;

providing a supplemental access table that includes entries that each represents authorization of a particular control device logical unit to access a particular logical unit; and

when a remote entity requests execution of an operation directed to a specified control device logical unit and involving one or more additional specified logical units,

authorizing the request for execution of the operation only when an entry currently exists in the access table that represents authorization of the remote entity to access the specified control device logical unit and, for each of the one or more additional specified logical units, an entry exists in the supplemental access table that represents authorization of the specified control device logical unit to access the additional specified logical unit.

2. The method of claim 1 wherein the mass storage device includes ports through which requests from remote entities are received, and wherein authorizing a request for execution is carried out by a controller within the mass storage device.

3. The method of claim 2 wherein the access table includes entries each comprising:
an indication of a logical unit or control device logical unit;
an indication of a port; and
an indication of a remote entity.

4. The method of claim 2 wherein the supplemental access table includes entries each comprising:

an indication of a control device logical unit; and
an indication of a logical unit.

09726856 113000

5. The method of claim 2 wherein the mass storage device is a disk array and remote entities are remote computers interconnected with the disk array via a communications medium.
6. An authorization system for authorizing access by remote entities to logical units provided by a mass storage device comprising:
 - a request detecting component that detects requests for execution of an operation generated by a remote entity;
 - an access table that includes entries that each represents authorization of a particular remote entity to access a particular logical unit;
 - a supplemental access table that includes entries that each represents authorization of a particular control device logical unit to access a particular logical unit; and
 - control logic that authorizes a request made by a remote entity, detected by the request detecting component, directed to a specified control device logical unit and involving one or more additional specified logical units only when an entry exists in the access table that represents authorization of the remote entity to access the specified control device logical unit and, for each of the one or more additional specified logical units, an entry exists in the supplemental access table that represents authorization of the specified control device logical unit to access the additional specified logical unit.
7. The system of claim 6 wherein the mass storage device includes ports through which requests from remote entities are received, and wherein the control logic resides within the mass storage device.
8. The system of claim 7 wherein the access table includes entries each comprising:
 - an indication of a logical unit or control device logical unit;
 - an indication of a port; and
 - an indication of a remote entity.

9. The system of claim 7 wherein the supplemental access table includes entries each comprising:
- an indication of a control device logical unit; and
 - an indication of a logical unit.
10. The system of claim 7 wherein the mass storage device is a disk array and remote entities are remote computers interconnected with the disk array via a communications medium.

09726852-13000
OBJECT "2589260